

REFERENCES MAGNETIC SUSPENSION BALANCES

General Literature

- [G1] Lösch, H.W., R. Kleinrahm und W. Wagner,
Neue Magnetschwebewaagen für gravimetrische Messungen in der Verfahrenstechnik,
Jahrbuch 1994 „Verfahrenstechnik und Chemieingenieurwesen“, VDI-Gesellschaft
Verfahrenstechnik und Chemieingenieurwesen (GVC), VDI-Verlag Düsseldorf, 1994,
S. 117-137.
(in German)
- [G2] Lösch, H.W., R. Kleinrahm und W. Wagner,
Neue Magnetschwebewaagen für gravimetrische Messungen in der Verfahrenstechnik,
Chemie Ingenieur Technik, 66 (1994) Nr. 8, S. 1055-1058.
(in German)
- [G3] Wagner, W. (Ed.),
Applied Research and Development, Information Brochure of the Chair of
Thermodynamics, Ruhr-University Bochum, 1995.
- [G4] Wagner, W., H.W. Lösch und R. Kleinrahm,
Wiegen durch Wände, Rubin, (1997) Nr. 1, S. 24-30.
(in German)
- [G5] Lösch, H.W.,
*Renaissance of Gravimetry in Metrology Under Controlled Environments – The
Magnetic Suspension Balance*, Business Briefing: Global Chemical Processing &
Engineering Industry, World Markets Series, E. Cooper (Ed.), Mountain High Maps
Images, p. 104-108, 1999.

Sorption Measurements

- [S1] Dreisbach, F., R. Staudt, M. Tomalla and J.U. Keller,
*Measurement of Adsorption Equilibria of Pure and Mixed Corrosive Gases: The
Magnetic Suspension Balance*, Fundamentals of Adsorption, M.D. LeVan (Ed.),
Kluwer Academic Publishers, p. 259-268, 1996.
- [S2] Frère, M., G. De Weireld and R. Jadot,
Adsorption Isotherms Measurements at High Pressure and High Temperature,
Fundamentals of Adsorption 6, F. Meunier (Ed.), Elsevier, p. 279-284, 1998.
- [S3] Dreisbach, F., R. Staudt and J.U. Keller,
*Experimental Investigation of the Kinetics of Adsorption of Pure Gases and Binary
Gas Mixtures on Activated Carbon*, Fundamentals of Adsorption 6, F. Meunier (Ed.),
Elsevier, p. 1219-1224, 1998.
- [S4] Dreisbach, F., J.U. Keller and H.W. Lösch,
*Simultaneous Coadsorption and Density Measurements of CH₄/H₂S Mixtures on
Dealuminated Zeolite*, Extended Abstract of a Poster presented at the 6th Fundamentals
of Adsorption Conference, Presqu'île de Giens, France, May 1998.

- [S5] De Weireld, G., M. Frère and R. Jadot,
Automated Determination of High-Temperature and High-Pressure Gas Adsorption Isotherms using a Magnetic Suspension Balance, Meas. Sci. Technol., 10 (1999), p. 117-126.
- [S6] Dreisbach, F.,
Gravimetric Measurement of Adsorption Equilibria using Magnetic Suspension Balances, Business Briefing: Global Chemical Processing & Engineering Industry, World Markets Series, E. Cooper (Ed.), Mountain High Maps Images, Technology Section, 1999.
- [S7] Keller, J.U., F. Dreisbach, H. Rave, R. Staudt and M. Tomalla,
Measurement of Gas Mixture Adsorption Equilibria of Natural Gas Compounds on Microporous Sorbents, Adsorption, 5 (1999), p. 199-214.
- [S8] Dreisbach, F. and H.W. Lösch,
New Magnetic Suspension Balance for Simultaneous Measurement of Mass Changes of a Sample and the Density of the Measuring Fluid, Journal of Thermal Analysis and Calorimetry, 62 (2000), p. 515-521.
- [S9] Dreisbach, F. and H.W. Lösch,
A New Type of Magnetic Suspension Balance for Gravimetric Measurements of Ad- and Desorption Processes in Fixed Adsorbent Beds, Proceedings of the 4th Topical Conference on Separations Science & Technology, American Institute of Chemical Engineers (AIChE), Dallas, USA, 1999.
- [S10] De Weireld, G., M. Frère and R. Jadot,
Characterization of Porous Carbonaceous Sorbents Using High Pressure-High Temperature Adsorption Data, Characterization of Porous Solids V, K. K. Unger, G. Kreysa, J. P. Baselt (Eds.), Amsterdam: Elsevier, 2000, p. 333-345.
- [S11] Lockemann, C.A., Th. Riede and P. Magin,
An Experimental Method to Determine the Sorption and Swelling Behavior of Solids at High Pressures, High Pressure Chemical Engineering, R. von Rohr and Ch. Trepp (Eds.), Amsterdam: Elsevier, 1996, p. 547-552.
- [S12] Ulbig, P. and P. Wenz,
Determination of the average density of water in porous activated carbon by a magnetic suspension balance, Chem. Technik, 52 (2000) 3/4, p. 138-144.
- [S13] Dreisbach, F., H. W. Lösch and K. Nakai,
Messung von Wasser/Ethanol-Gemischisothermen an Aktivkohlefasern, Chemie Ingenieur Technik, 73 (2001) Nr. 3, S. 246-252.
(in German)
- [S14] Dreisbach, F., H. W. Lösch and K. Nakai,
Adsorption Measurement of Water/Ethanol Mixtures on Activated Carbon Fiber, Chem. Eng. Technol., 24 (2001) 10, p. 1001-1005.

- [S15] Dreisbach, F., R. Seif A. H. and H. W. Lösch,
Rein gravimetrische Messung von Koadsorptionsgleichgewichten des Gasgemisches CO/H₂ mit Hilfe einer neuen Magnetschwebewaage, Chemie Ingenieur Technik, 74 (2002) Nr. 1-2, S. 89-95.
(in German)
- [S16] Harting, P.,
Messung durch hochpräzises Wägen – Massenaustausch, Sorption, Diffusion und Kinetik, Wirtschaft und Wissenschaft – Transferbrief Leipzig, (2001) Nr. 1, S. 10-11.
(in German)
- [S17] Dreisbach, F., R. Seif A. H. and H. W. Lösch,
Gravimetric Measurement of Adsorption Equilibria of Gas Mixture CO/H₂ with a Magnetic Suspension Balance; Chem. Eng. Technol., 25 (2002) 11, p. 1060-1065.
- [S18] Dreisbach, F., R. Seif A. H. and H. W. Lösch,
Messmethoden für Gasphasen-Adsorptionsgleichgewichte; Chemie Ingenieur Technik, 74 (2002) Nr. 10, S. 1353-1366.
(in German)
- [S19] Dreisbach, F., H. W. Lösch and P. Harting,
Highest Pressure Adsorption Equilibria Data: Measurement with Magnetic Suspension Balance and Analysis with a New Adsorbent/Adsorbate-Volume; Adsorption, 8 (2002), p. 95-109.
- [S20] Mittelmeijer-Hazeleger, M. C., A. F. P. Ferreira and A. Blik,
Influence of Helium and Argon on the Adsorption of Alkanes in Zeolites; Langmuir, Vol. 18 (2002) No. 25, p. 9613-9616.
- [S21] Dreisbach F., R. Seif, H.W. Lösch:
Adsorption Equilibria of CO/H₂ with a Magnetic Suspension Balance - Purly Gravimetric Measurement; Journal of Thermal Analysis and Calorimetry, 71 (2003), p. 73-82.
- [S22] Mochidzuki, K., A. Sakoda, M. Suzuki:
Liquid-Phase Thermogravimetric Measurement of Reaction Kinetics of the Conversion of Biomass Wastes in Pressurized Hot Water: A Kinetic Study; Advances in Environmental Research, 7 (2003), p. 421-428.
- [S23] Jess, A., C. Kern, W. Korth: *Einsatz einer Magnetschwebewaage zur Bestimmung der Gaslöslichkeit in ionischen Flüssigkeiten*; Chemie Ingenieur Technik, 76 (2004) Nr. 9, 1351-1352.
(in German)
- [S24] Jess, A., C. Kern, V. Altstädt, D. Langenfelder, F. Wöllecke: *Messungen der Löslichkeit und des Stofftransportes von CO₂ in polymeren Werkstoffen mit Hilfe einer Magnetschwebewaage*; Chemie Ingenieur Technik, 76 (2004) Nr. 9, 1352.
(in German)
- [S25] Di Giovanni, O., W. Dörfler, M. Mazzotti and M. Morbidelli: *Adsorption of Supercritical Carbon Dioxide on Silica*; Langmuir, 17 (2001), 4316 - 4321.

- [S26] Staudt, R., Herbst, A., Beutekamp, S., Harting, P.: *Adsorption of Pure Gases and Mixtures on Porous Materials up to high Pressures*; *Adsorption* **11** (2005), 279-284.
- [S27] Gao, C., Liu, S., Xie, L., Sun, C., Cao, J., Ren, Y., Feng, D., Su, Z.: *Rational design of microporous pillard-layer frameworks: synthesis, structures and gas sorption properties*; *CrystEngComm* **11** (2009) 177-182
- [S28] Wang, A., Gao, Q, Hu, J.: *High Hydrogene Storage Capacity of Porous Carbons Prepared by Using Activated Carbon*; *J. Am. Chem. Soc.* **131** (2009) 7016-7022
- [S29] Herbst, A., Harting, P.: *Thermodynamic Description of Excess Isotherms in High-Pressure Adsorption of Methane, argon and Nitrogene*; *Adsorption* **8** (2002), 111-123.
- [S30] Xue, A., Zhu, G., Li, Y., Zhao, J., Kang, E. Qui,S.: *Structure, Hydrogene Storage and Luminescence Properties of three 3D Metal-organic Frameworks with NbO and PtS Topologies*; *Crystal Growth & Design* **8**, 7 (2008) 2478-2483.
- [S31] Bastos-Neto, M., Canabrava, D.V., Torres, A.E.B., Rodriguez-Castellón, E., Jiménez-López, A., Azevedo, D.C.S., Cavalcante Jr., C.L.: *Effects of textural and surface characteristics of microporous activated carbons on the methane adsorption capacity at high pressures*; *Applied Surface Science* **253** (2007) 5721-5725.
- [S32] Zhong, Y., Critoph, R.E., Thorpe, R.: *Evaluation of the performance of solid sorption refrigeration systems using carbon dioxide as refrigerant*; *Applied Thermal Engineering* **26** (2006) 1807-1811.
- [S33] Zhong, Y., Critoph, R.E., Thorpe, R., Tamainot-Telto, Z., Aristov, Yu.I.: *Isothermal sorption characteristics of the BaCl-NH₃ pair in a vermiculite host matrix*; *Applied Thermal Engineering* **27** (2007) 2455-2462.
- [S34] Lagrosse, S., Campo, M.C., Magalhaes, F.D., Mendes, A.: *Water adsorption on carbon molecular sieve membranes: Experimentel data and isotherm model*; *Carbon* **43** (2005) 2769-2779.
- [S35] Cruz, P. Santos, Magalhaes, F.D., Mendes, A.: *Cyclic adsorption seperation processes: analysis strategy and optimization procedure*; *Chemical Engineering Science* **58** (2003) 3143-3158.
- [S36] Blasig, A., Tang, J., Hu, X., Shen, Y., Radoz, M.: *Magnetic suspension balance study of carbon dioxide solubility in ammonium-based polymerized ionic liquids: poly(p-vinylbenzyltrimethyl ammonium tetraflouoroborate) and ([2-(methacryloyloxy)ethyl]trimethyl ammonium tetrafluoroborate)*; *Fluid Phase Equilibria* **256** (2007) 75-80.
- [S37] Ustinov, E.A., Staudt, R., Do, D.D., Herbst, A., Harting, P.: *Multikomponent adsorption on activated carbons under supercritical conditions*; *Journal of Colloid and Interface Science* **275** (2004) 376-385.
- [S38] Wilhelm, M., Soltmann, C., Koch, D., Grathewohl, G.: *Ceramers – functional materials for adsorption techniques*; *Journal of the European Ceramic Society* **25** (2005) 271-276.

- [S39] Senkovska, I., Kaskel, S.: High pressure methane adsorption in the metal-organic frameworks $\text{Cu}_3(\text{btc})_2$, $\text{Zn}_2(\text{bdc})_2\text{dabco}$, and $\text{Cr}_3\text{F}(\text{H}_2\text{O})_2\text{O}(\text{bdc})_3$; *Microporous and Mesoporous Materials* 112 (2008)108-115.
- [S40] Wang, H., Getzschmann, J. Senkovska, I., Kaskel, S.: *Structural transformation and high pressure methane adsorption of $\text{Co}_2(1,4\text{-bdc})_2\text{dabco}$* ; *Microporous and Mesoporous Materials* 116 (2008)653-657.
- [S41] Diana C.S. Azevedo , J. Ca'ssia S. Arau' jo , Moise's Bastos-Neto , A. Eurico B. Torres , Emerson F. Jaguaribe , Ce'lio L. Cavalcante : *Microporous activated carbon prepared from coconut shells using chemical activation with zinc chloride*; *Microporous and Mesoporous Materials* 100 (2007) 361–364.
- [S42] Y. Qina, M. Rubinoa, R. Aurasa, L.-T. Limb: *Use of a magnetic suspension microbalance to measure organic vapor sorption for evaluating the impact of polymer converting process*; *Polymer Testing* 26 (2007) 1082–1089.
- [S43] Hiroyasu Furukawa* and Omar M. Yaghi*: *Storage of Hydrogen, Methane, and Carbon Dioxide in Highly Porous Covalent Organic Frameworks for Clean Energy Applications*; *J. AM. CHEM. SOC.* 2009, 131, 8875–8883.
- [S44] T.C. Drage, O. Kozynchenko, C. Pevida, M.G. Plaza, F. Rubiera, J.J. Pis, C.E. Snape and S. Tennison: *Developing activated carbon adsorbents for pre-combustion CO₂ Capture*; *Energy Procedia* 1 (2009) 599–605.
- [S45] Takashi Fujii, Yoshiyuki Sato, Hongfei Lin, Hiroshi Inomata, and Toshiyuki Hashida: *Evaluation of CO₂ sorption capacity of rocks using a gravimetric method for CO₂ geological sequestration*; *Energy Procedia* 1 (2009) 3723–3730.

Mass Transfer / Diffusivity / Solubility Measurements

- [MT1] Pfannschmidt, O. and W. Michaeli, *Determination of the Solubility and Diffusivity of Gases in Polymers by using a High Pressure Magnet-Suspension-Balance*; *Proceedings of the Annual Technical Conference of the Society of Plastics (ANTEC)*, Atlanta, USA, p. 1918-1921, 1998.
- [MT2] Eggers, R., *Bestimmung der Gewichtsveränderung von Festbetten bei der Durchströmung unter erhöhten Drücken*; Short Communication of the Chair of Chemical Engineering, Technical University Hamburg Harburg, 1997. (in German)
- [MT3] Eggers, R. (Ed.), *Interphases and Mass Transfer – Investigation and Application at Elevated Pressures*; Information Material of the Chair of Chemical Engineering, Technical University Hamburg Harburg, 1997.
- [MT4] Jaeger, P.T., J. v. Schnitzler and R. Eggers, *Interfacial Tension of Fluid Systems Considering the Nonstationary Case with Respect to Mass Transfer*; *Chem. Eng. Technol.*, 19 (1996), p. 197-202.

- [MT5] Jaeger, P.T. and R. Eggers,
Interfacial Properties and Mass Transfer in Supercritical Fluid Extraction; Proceedings of the 4th International Symposium on Supercritical Fluids, Sendai, Japan, Vol. B, International Society for the Advancement of Supercritical Fluids, p. 711-714, 1997.
- [MT6] v. Schnitzler, J. and R. Eggers,
Mass Transfer Phenomena in Polymers during Treatment in a Supercritical CO₂ Atmosphere; Proceedings of the Supercritical Fluids: Materials and Natural Products Processing Conference, Tome 1: Materials, International Society for the Advancement of Supercritical Fluids, Nice, France, p. 93-98, 1998.
- [MT7] Chaudhary, B.I. and A.I. Johns,
Solubilities of Nitrogen, Isobutane and Carbon Dioxide in Polyethylene; Journal of Cellular Plastics, Vol. 34 (1998), p. 312-328.
- [MT8] v. Schnitzler, J. and R. Eggers,
Changing Properties of Glassy Polymers due to Diffusion of Supercritical CO₂; High Pressure Chemical Engineering, Proceedings of the International Meeting of the GVC-Fachausschuß "Hochdruckverfahrenstechnik", Karlsruhe, Germany, p. 57-59, 1999.
- [MT9] v. Schnitzler, J. and R. Eggers,
Mass Transfer in Polymers in a Supercritical CO₂-atmosphere; Journal of Supercritical Fluids, Vol. 16 (1999), p. 81-92.
- [MT10] Sato, Y., T. Takikawa, S. Takishima and H. Masuoka,
Solubilities and Diffusion Coefficients of Carbon Dioxide in poly(vinyl acetate) and polystyrene; Journal of Supercritical Fluids, Vol. 19 (2001), p. 187-198.
- [MT11] Sato, Y., T. Takikawa, M. Yamane, S. Takishima and H. Masuoka,
Solubility of Carbon Dioxide in PPO and PPO/PS blends; Fluid Phase Equilibria, 194-197 (2002), p. 847-858.
- [MT12] Schabel, W., I. Mamaliga and M. Kind,
Messungen von Sorptionsisothermen und Diffusionskoeffizienten in Polymerlösungen; Chemie Ingenieur Technik, 75 (2003) Nr. 1-2, S. 36-41.
(in German)
- [MT13] Kukova, E., M. Petermann and E. Weidner,
Phasenverhalten (S-L-G) und Transporteigenschaften binärer Systeme aus hochviskosen Polyethylenglkolen und komprimiertem Kohlendioxid; Chemie Ingenieur Technik, 76 (2004) Nr. 3, S. 280-284.
(in German)
- [MT14] Rajendran, A., B. Bonavoglia, N. Forrer, G. Storti, M. Mazzotti and M. Morbidelli,
Simultaneous Measurement of Swelling and Sorption in a Supercritical CO₂-Poly(methyl methacrylate) System; Industrial Engineering and Chemistry Research, (2005).

- [MT15] Chan, Kuo-Hung and Huey-Wen Chen,
Development of Humidity Generator by Using Magnetic Suspension Balance; internal report, Center for Measurement and Standards, Industrial Technology Research Institute, Kuang Fu Road, Section 2 Hsinchu 300, Taiwan, R.O.C., (2005).
- [MT16] I. Kikic: *Polymer–supercritical fluid interactions*; J. of Supercritical Fluids 47 (2009) 458–465.

Thermogravimetric / Vapor Deposition Measurements

- [TG1] Arndt, J., L. Klippe, R. Stolle and G. Wahl,
Deposition of Platinum from Bis(Acetylacetonato)Platinum(II), Journal de Physique II, Vol. 5 (1995), p. 119-126.
- [TG2] Stolle, R. and G. Wahl,
Deposition of Boron Nitride Films from BB'B''-Trichloroborazine, Journal de Physique II, Vol. 5 (1995), p. 761-768.
- [TG3] Echard, M. and J. Leglise,
Sulphidation of an Oxidic CoMo/Al₂O₃ catalyst under practical conditions: different kinds of sulphur species, Catalysis Letters, Vol. 72 No. 1-2 (2001), p. 83-89.
- [TG4] Echard, M. and J. Leglise,
H₂S adsorption on sulfided CoMo/Al₂O₃ catalyst under flow and pressure conditions: a thermodynamic and modelization study, Thermochemica Acta, 379 (2001), p. 241-254.

Density (Gas, Liquid, Solid) / Thermophysical Properties Measurements

- [D1] Kleinrahm, R. and W. Wagner,
Measurement and Correlation of the Equilibrium Liquid and Vapor Densities and the Vapor Pressure along the Coexistence Curve of Methane, J. Chem. Thermodynamics, 18 (1986), p.739-760.
- [D2] Pieperbeck, N., R. Kleinrahm, W. Wagner and M. Jaeschke,
Results of (pressure, density, temperature) Measurements of Methane and on Nitrogen in the Temperature Range from 273.15 K to 323.15 K at Pressure up to 12 MPa using a new Apparatus for Accurate Gas-Density Measurements, J. Chem. Thermodynamics, 23 (1991), p. 175-194.
- [D3] Wagner, W., R. Kleinrahm, X.Y. Guo, G. Olbricht and M. Jaeschke,
Experimental Investigation of the VOS Effect on Gas Density Transducers for Natural Gas Pipelines, Proceedings of the International Gas Research Conference, Volume 1, Orlando, USA, 1992, p. 863-874.
- [D4] Wagner, W. (Ed.),
Zwei-Senkörper-Dichtemeßanlage, Short Communication of the Chair of Thermodynamics, Ruhr-University Bochum, 1995.
(in German)

- [D5] Olbricht, G., R. Kleinrahm, H.W. Lösch, W. Wagner and M. Jaeschke,
Entwicklung einer Transportablen Prüfeinrichtung für Betriebsdichteaufnehmer in Erdgasstrecken, gwf-Gas/Erdgas, 136 (1995) Nr. 2, p. 73-78.
(in German)
- [D6] Blanke, W., G. Klingeberg and R. Weiss,
PVT Measurements on Tetrafluoroethane (R134a) Along the Vapor-Liquid Equilibrium Boundary Between 288 and 373 K and in the Liquid State from the Triple Point to 265 K, International Journal of Thermophysics, Vol. 16 (1995) No. 5, p. 1143-1153.
- [D7] Wagner, W., K. Brachthäuser, R. Kleinrahm and H.W. Lösch,
A New, Accurate Single-Sinker Densitometer for Temperatures from 233 to 523 K at Pressures up to 30 MPa, International Journal of Thermophysics, Vol. 16 (1995) No. 2, p. 399-411.
- [D8] Blanke, W., G. Klingenberg and R. Weiss,
PVT Measurements on 1-Chloro-1,2,2,2-tetrafluoroethane (R124) along the Gas-Liquid Boundary Curve between 293 K and 395 K and in the Liquid State from 120 K to 268 K, J. Chem. Eng. Data, Vol. 41 (1996), p. 576-580.
- [D9] Masuda, T., T. Shigematsu, H. Sato and K. Watanabe,
Development of a Magnetic Suspension Balance Apparatus for Measuring the $p\rho T$ Properties and Vapor-Liquid-Equilibrium of Fluids, Proceedings of The Nineteenth Japan Symposium on Thermophysical Properties, Fukuoka, Japan, 1998, p. 403-406.
(partly in Japanese with an English abstract)
- [D10] Klimeck, J., R. Kleinrahm and W. Wagner,
An Accurate Single-Sinker Densimeter and Measurements of the (p,ρ,T) Relation of Argon and Nitrogen in the Temperature Range from (235 to 520) K at Pressures up to 30 MPa, J. Chem. Thermodynamics, 30 (1998), p. 1571-1588.
- [D11] Docter, A., H.W. Lösch and W. Wagner,
A New Apparatus for Combined Measurements of the Viscosity and Density of Fluids for Temperatures from 233 to 523 K at Pressures up to 30 MPa, International Journal of Thermophysics, Vol. 20 (1999) No. 2, p. 485-505.
- [D12] Iwagai, K., T. Masuda, H. Sato and K. Watanabe,
Measurement of $p\rho T$ Properties of Fluids using Magnetic Suspension Balances (Reliability Test by Measuring $p\rho T$ Properties of CO_2), Proceedings of The Twentieth Japan Symposium on Thermophysical Properties, Tokyo, Japan, 1999, p. 197-200.
(partly in Japanese with an English abstract)
- [D13] Kinoshita, M. and K. Fujii,
Density Measurements of Density Standard Liquids by a Magnetic Suspension Balance, Proceedings of The Twentieth Japan Symposium on Thermophysical Properties, Tokyo, Japan, 1999, p. 555-558.
- [D14] Laux, H. and I. Rahimian,
Dichtebestimmung von Asphaltene, kokshaltigen Rückständen und festen Ablagerungen, Erdöl-Erdgas-Kohle, , 116 (2000) 1, p. 15-17.
(in German with an English abstract)

- [D15] Gómez Mellado, B., R. Kleinrahm, H. W. Lösch, W. Wagner, O. Brandt and R. Boden,
Entwicklung eines transportablen Dichtepprüfgerätes für Erdgasmessstationen, Gas Erdgas - Das Gas- und Wasserfach GFW, 142 (2001) 4, p. 282-288.
(in German with an English abstract)
- [D16] Prashant Patil, Saquib Ejaz, Mert Atilhan, Diego Cristancho, James C. Holste, Kenneth R. Hall,
Accurate density measurements for a 91% methane natural gas-like mixture; J. Chem. Thermodynamics 39 (2007) 1157–1163.